

## NOXLITE LED WALL 12 W DOUBLE SENSOR GR

---

NOXLITE LED WALL | Outdoor LED wall luminaires



- Outdoor
- Patios, balconies

---

### Product benefits

- Elegant design
- Quick and simple installation
- High-power LED for high light output
- Compact and lightweight

### Product features

---

- Intelligent and elegant outdoor LED luminaire
- Motion and day/night sensor with time settings from 5 s...10 min
- Type of protection: IP44



## Technical data

---

### Electrical data


Nominal wattage	12.00 W
Nominal voltage	100...240 V
Mains frequency	50/60 Hz
Nominal current	0.55 A
Operating mode	Electronic control gear (ECG)

### Light technical data

Color temperature	6000 K
Beam angle	135 °
Luminous flux	460 lm
Color rendering index Ra	> 65

### Dimensions & weight

Length	123.0 mm
Width	270.0 mm
Height	82.0 mm



*Product line drawing with numbers*

#### Colors & materials

Body material	Aluminum/Plastic
Product color	Grey
Cover material	Polymethyl methacrylate (PMMA)

#### Temperatures

Ambient temperature range	-20...+40 °C
---------------------------	--------------

#### Lifespan

Lifespan	30000 h
----------	---------

#### Additional product data

Number of lighting outlets	6
Equipment	LED

**Additional product data**

Equipped with lamp	Yes
--------------------	-----

**Capabilities**


Type of installation	Screws
Dimmable	No
Type of connection	Fixed (cutting terminal)
Accessories	Screws / Sensor limitation strip

**Certificates & standards**

Standards	CE
Protection class	II
Type of protection	IP44

**Country specific categorizations**

Order reference	41017
-----------------	-------



*Packaging image*

## Disclaimer

---

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.